


Sticta hirsutifuliginosa

Assessment by: Moncada, B., Simijaca, D., Soto-Medina, E., Coca, L.F. & Jaramillo, M.



View on www.iucnredlist.org

Citation: Moncada, B., Simijaca, D., Soto-Medina, E., Coca, L.F. & Jaramillo, M. 2023. *Sticta hirsutifuliginosa*. The IUCN Red List of Threatened Species 2023: e.T180147522A180167426. <https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T180147522A180167426.es>

Copyright: © 2023 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [ABQ BioPark](#); [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Missouri Botanical Garden](#); [NatureServe](#); [Re:wild](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Fungi	Ascomycota	Lecanoromycetes	Peltigerales	Lobariaceae

Scientific Name: *Sticta hirsutifuliginosa* Moncada, A. Suárez & Lücking

Synonym(s):

- *Sticta hirsutofuliginosa* [orth. err.] Moncada, A. Suárez & Lücking

Taxonomic Source(s):

Index Fungorum Partnership. 2020. Index Fungorum. Available at: <http://www.indexfungorum.org>.

Identification Information:

Liquen folioso, principalmente epífito, de lóbulos redondeados, verdes cuando frescos y gris azulosos cuando secos, con la superficie superior costillada y con isidias abundantes. Superficie inferior con tomento y cífelas blancas.

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2023

Date Assessed: November 26, 2019

Justification:

La especie tiene una EOO de 97.427 km² y el 42.9 % de sus registros están en áreas protegidas. Presenta algunas amenazas como construcción de oleoductos, pastoreo y agricultura, pero no afectan significativamente las subpoblaciones de la especie. Por lo anterior, se categoriza como Preocupación Menor (LC).

Geographic Range

Range Description:

Amplia distribución en Colombia en la región andina y en departamentos como Boyacá, Cundinamarca, Nariño, Norte de Santander y Tolima.

Country Occurrence:

Native, Extant (resident): Colombia

Distribution Map





Legend

● EXTANT (RESIDENT)

Compiled by:

IUCN (International Union for Conservation of Nature) 2019



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.

Population

Dada la naturaleza de su crecimiento clonal y la falta de estudios sobre su ecología poblacional, para Colombia no se conoce nada sobre la abundancia o dinámica de las poblaciones de la especie.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

Se encuentra en bosques subandinos, altoandinos y páramos, en sitios sombreados, crece como elemento epífita en árboles y arbustos; ocasionalmente sobre madera en descomposición o rocas, asociado a briofitos.

Systems: Terrestrial

Use and Trade (see Appendix for additional information)

No se han reportado usos para la especie.

Threats (see Appendix for additional information)

Sus principales amenazas son la ampliación de la frontera agrícola y la construcción y operación de líneas de servicio para el transporte de hidrocarburos, además del uso del recurso forestal maderable. Sin embargo, estas amenazas están localizadas en algunas partes de su distribución y no se consideran significativas.

Conservation Actions (see Appendix for additional information)

Algunos de sus registros se encuentra en áreas protegidas. La especie se encuentra enmarcada en la resolución 0213 de 1977 que veda su uso y comercialización. Se recomiendan investigaciones relacionadas con la historia de vida y la ecología de la especie, así como la tendencia de sus poblaciones y del hábitat para determinar estrategias de manejo para los ecosistemas donde la especie es frecuente.

Credits

Assessor(s): Moncada, B., Simijaca, D., Soto-Medina, E., Coca, L.F. & Jaramillo, M.

Reviewer(s): García, N., Allen, J. & Yahr, R.

Contributor(s): Lücking, R.

Facilitator(s) and Compiler(s): Lopez-Gallego, C.

Bibliography

Alexander von Humboldt Biological Resources Research Institute. 2019. Catalogador de Información Biológica - IAvH. Available at: http://i2d.humboldt.org.co/ceiba/resource.do?r=rrbb_liquenes_2019. (Accessed: 2019).

IUCN. 2023. The IUCN Red List of Threatened Species. Version 2023-1. Available at: www.iucnredlist.org. (Accessed: 11 December 2023).

Moncada, B., Suárez, A. and Lücking, R. 2015. Nueve especies nuevas del género *Sticta* (Ascomycota liquenizados: Lobariaceae) del morfotipo fuliginosa *sensu lato* de Colombia. *Revista de la Academia Colombiana de Ciencias Exactas Físicas y Naturales* 39: 50-66.

Citation

Moncada, B., Simijaca, D., Soto-Medina, E., Coca, L.F. & Jaramillo, M. 2023. *Sticta hirsutifuliginosa*. *The IUCN Red List of Threatened Species* 2023: e.T180147522A180167426.
<https://dx.doi.org/10.2305/IUCN.UK.2023-1.RLTS.T180147522A180167426.es>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Supplementary Material](#), and for [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.9. Forest - Subtropical/Tropical Moist Montane	-	Suitable	-
4. Grassland -> 4.7. Grassland - Subtropical/Tropical High Altitude	-	Suitable	-

Plant and Fungal growth forms

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Plant and Fungal growth forms
LC. Lichen

Threats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Threat	Timing	Scope	Severity
2. Agriculture & aquaculture -> 2.1. Annual & perennial non-timber crops -> 2.1.1. Shifting agriculture	Ongoing	Unknown	Unknown
2. Agriculture & aquaculture -> 2.3. Livestock farming & ranching -> 2.3.2. Small-holder grazing, ranching or farming	Ongoing	Unknown	Unknown
4. Transportation & service corridors -> 4.2. Utility & service lines	Ongoing	-	-
5. Biological resource use -> 5.3. Logging & wood harvesting -> 5.3.3. Unintentional effects: (subsistence/small scale) [harvest]	Ongoing	-	-

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action in Place
In-place land/water protection
Occurs in at least one protected area: Yes
In-place species management
Subject to ex-situ conservation: No

Conservation Actions Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action Needed	Notes
2. Land/water management -> 2.3. Habitat & natural process restoration	-
4. Education & awareness -> 4.3. Awareness & communications	-

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed	Notes
1. Research -> 1.2. Population size, distribution & trends	-
1. Research -> 1.3. Life history & ecology	-
3. Monitoring -> 3.1. Population trends	-
3. Monitoring -> 3.4. Habitat trends	-

Additional Data Fields

Distribution
Estimated extent of occurrence (EOO) (km ²): 97427
Lower elevation limit (m): 1,450
Upper elevation limit (m): 4,800
Population
Population severely fragmented: Unknown
Habitats and Ecology
Continuing decline in area, extent and/or quality of habitat: No

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [ABQ BioPark](#); [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [Missouri Botanical Garden](#); [NatureServe](#); [Re:wild](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).